

Cool, soothing drops of water



collected for you, by Celfrost!

Celfrost - a name synonymous with quality and reliability now brings to you, water coolers that are refreshingly different and are available in a wide range of capacities and features for every need.





# Water Coolers that are refreshingly different !

Storage water coolers specially designed for schools, colleges, canteens, offices, factories, public places and other corporate & commercial applications.

Celfrost is a name synonymous with quality and reliability which now brings to you refreshing water coolers with a wide range of capacities and features for every need.






## Unmatched features of Celfrost Water Coolers :

-  Fast cooling
-  PUF insulation that helps you save power
-  Reliable and sturdy compressor
-  Eco- friendly

## S.Dlx. Models







### Specific highlights of S.Dlx. Models:

-  Stainless steel body ensures no rusting, no corrosion
-  Stainless steel tank for safe drinking water, for years
-  Sturdy plastic legs

## PSS Models

### Highlights of PSS Models:

-  Pre-coated outer body for better corrosion resistance
-  Front panel in stainless steel
-  Stainless steel tank for safe drinking water, for years
-  Sturdy plastic legs



**24 month  
Compressor Warranty\***



S.Dlx.  
20/20

S.Dlx.  
20/40

S.Dlx.  
40/80

S.Dlx.  
60/120

S.Dlx.  
150/150

S.Dlx.  
300/300

## Technical Specifications

Model	Cooling Capacity (Litres/hr) at 16.5° C drop	Storage Capacity (Litres)	No. of Faucets	Approx. Dimensions (mm)			Refrigerant	Power (Watts)	Approx. Weight (Kgs.)	Recommended Voltage Stabiliser
				Width	Depth	Height				
S.Dlx. 20/20	20	20	1	340	340	1100	R-134a	195	27.5	500 W
S.Dlx. 20/40	20	40	1	455	455	1240	R-134a	195	36.2	500 W
S.Dlx. 40/80	40	80	2	625	475	1215	R-22	485	48.8	1 KW
S.Dlx. 60/120	60	120	2	725	545	1150	R-22	775	63.5	2 KW
S.Dlx. 150/150	150	150	2	725	545	1275	R-22	1640	84.6	4 KW
S.Dlx. 300/300	300	300	4	1000	705	1270	R-22	2400	150	5 KW
PSS 20/20	20	20	1	340	340	1100	R-134a	195	27.5	500 W
PSS 20/40	20	40	1	455	455	1240	R-134a	195	36.2	500 W
PSS 40/80	40	80	2	625	475	1215	R-22	485	48.8	1 KW
PSS 60/120	60	120	2	725	545	1150	R-22	775	63.5	2 KW
PSS 150/150	150	150	2	725	545	1275	R-22	1640	84.6	4 KW
PSS 300/300	300	300	4	1000	705	1270	R-22	2400	150	5 KW

- All models are suitable for operation on 230V / 1Ph. / 50Hz AC supply.
- Specifications and features are subject to change without notice, due to continuous product development.



# Bottled Water Dispensers

The finest range of Bottled Water Dispensers in the Indian market! Experience, hygiene, style and convenience, all in one smart package. Ideal for *homes, offices and showrooms, or parties, functions and events.*

You get great tasting water, either steaming hot to make tea / coffee / instant soup in a jiffy, or super chilled to refresh you, with our without a soft drink / juice concentrate!



## Technical Specifications

Model	TT	FS	FSR
Description	Hot & Cold	Hot & Cold	Hot & Cold
Cooling Method	Compressor	Compressor	Compressor
Cabinet Type	-	Storage Cabinet	Cool Cabinet
Cooling Capacity	2 L / Hr. 5-10°C	2 L / Hr. 5-10°C	2 L / Hr. 5-10°C
Cooling Tank Capacity	2.8 L	2.8 L	2.8 L
Cooling System Wattage	80 W	80 W	100 W
Heating Capacity	5 L / Hr. (85-95°C)	5 L / Hr. (85-95°C)	5 L / Hr. (85-95°C)
Hot Tank Capacity	1.1 L	1.1 L	1.1 L
Heating System Wattage	550 W	550 W	550 W
Dimensions WxDxH (in inches)	12 x 13 x 19	12 x 13 x 38	12 x 13 x 38
Net Weight	12.5 Kg	15.2 Kg.	16.4 Kg.
Electricals	220 V / 50 Hz / 1 Ph	220 V / 50 Hz / 1 Ph	220 V / 50 Hz / 1 Ph

- Based on standard test conditions
- Specifications, features and colours are subject to change without notice, due to continuous product development.
- Suitable for standard polycarbonate jars/bottles (not supplied with dispenser).



Revolutionary Water Coolers with RO & In-Tank UV purification Technology  
Separate catalogue available



**CELFRUST INNOVATIONS PVT. LTD.**

(Formerly, Celsius Refrigeration Pvt. Ltd.)

**Corp. Office :** 7th Floor, Udyog Minar Udyog Vihar, Phase-V, Gurgaon - 122 016, Haryana, INDIA

Phone : +91 124 4308430 / 4062401. Fax : +91 124 4308431

E-mail : corp@celfrost.com

**Other Offices :**

<b>Ahmedabad</b> : 9375933335	<b>Bengaluru</b> : 9590047656	<b>Chennai</b> : 9345509016
<b>Cochin</b> : 9349060306	<b>New Delhi</b> : 9312933066	<b>Haryana</b> : 9017195010
<b>Hyderabad</b> : 9346447254	<b>Kolkatta</b> : 9339761988	<b>Lucknow</b> : 9335174580
<b>Mumbai</b> : 022-25175477/76	<b>Orissa</b> : 9337298974	<b>Pune</b> : 9370573030
<b>Punjab / J&amp;K</b> : 9357615927	<b>Rajasthan</b> : 9351317208	<b>Uttarakhand</b> : 9017195010

**AUTHORISED DEALER / DISTRIBUTOR**

Visit us at [www.celfrost.com](http://www.celfrost.com)



- Freezers • Showcase Coolers • Reach-Ins • Undercounter Refrigeration • Back Bars • Wine Coolers • Minibars • Ice Cube Making Machines • Food Preparation Equipment • Ultra Low Temp Freezers • Water Coolers • Bottled Water Dispensers • Pastry Showcases • Ice Cream Scooping Cabinets • Coldrooms • Supermarket Refrigeration Products • Espresso Coffee Machines • Juice Dispensers • Soft Serve Ice-cream Machines • Microwave Combination Ovens • Impinger Ovens • Combi Steamers • Fryers • Ice Flakers • Sandwich Grillers • Bakery Equipment • Commercial Dishwashers • Bar Blenders • Catering & Cooking Equipment • Blast Freezers/Chillers • Dessert Ingredients